

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S92	56725	identif\$8 with (difference or residual)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/10 10:33
S93	2819	identif\$8 with (difference or residual) and quantiz\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/10 10:35
S94	1511	identif\$8 with (difference or residual) and quantiz\$5 and inverse\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/10 10:35
S95	536	identif\$8 with (difference or residual) and quantiz\$5 and inverse\$2 and file	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/10 10:36
S96	31	identif\$8 with (difference or residual) and quantiz\$5 and inverse\$2 and file with difference	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/10 10:37
S97	618	identif\$8 with (difference or residual) and quantiz\$5 and inverse\$2 and (file or database or stor\$4 or memory) with difference	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/10 10:37

S98	279	identif\$8 near6 (difference or residual) and quantiz\$5 and inverse\$2 and (file or database or stor\$4 or memory) with difference	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/10 10:38
S99	167	identif\$8 near6 (difference or residual) and quantiz\$5 and inverse\$2 and (file or database or stor\$4 or memory) near5 difference	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/10 10:39
S100	4	identif\$8 near6 (difference or residual) near6 (calculated) and quantiz\$5 and inverse\$2 and (file or database or stor\$4 or memory) near5 difference	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/10 10:41
S101	11	identif\$8 near6 (difference or residual) near6 (calculated) and quantiz\$5 and inverse\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/10 10:43
S102	652	identif\$8 near6 (difference or residual) near6 (calculated)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/10 10:45
S103	228	identif\$8 near6 (difference or residual) near6 (calculated) and encod\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/10 10:45

S104	249	identif\$8 near6 (difference or residual) near6 (calculated or existed or past) and encod\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 09:55
S105	364	identif\$8 near6 (difference or residual) near6 (calculated or existed or past or previous) and encod\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 10:03
S106	135	identif\$8 near6 (difference or residual) near6 (calculated or existed or past or previous) and encod\$4 and invers\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 10:04
S107	5819	(difference or residual) near3 (calculated or existed or past or previous) and encod\$4 and invers\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 10:10
S108	4079	(difference or residual) near3 (calculated) and encod\$4 and invers\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 10:10
S109	3359	(difference or residual) near2 (calculated) and encod\$4 and invers\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 10:10
S110	2027	(difference or residual) near1 (calculated) and encod\$4 and invers\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 10:10

S111	197	(difference or residual) near1 (calculated) with determin\$4 and encod\$4 and invers\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 10:11
S112	103	(difference or residual) near1 (calculated) near5 determin\$4 and encod\$4 and invers\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 10:11
S113	9	(difference or residual) near1 (calculated) near5 identi\$6 and encod\$4 and invers\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 10:12
S114	127	(difference or residual) near5 (calculated) near10 identi\$6 and encod\$4 and invers\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 10:13
S115	1404	382/236.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 10:19
S116	367	382/236.ccls. and calculated with (difference or residual)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 10:19
S117	14	382/236.ccls. and calculated with (difference or residual) with identif\$7	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 10:20
S118	108	382/236.ccls. and calculated with (difference or residual) with (identif\$7 or locat \$4 or find\$4 or determin\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 10:20

S119	45	382/236.ccls. and calculated with (difference or residual) with (identif\$7 or locat \$4 or find\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 10:21
S120	14	382/236.ccls. and calculated with (difference or residual) with (identif\$7)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 10:21
S121	157	((calculated with (difference or residual) with (identif\$7))).clm.	US-PGPUB	OR	ON	2008/10/14 10:23
S122	20	((calculated with (difference or residual) with (identif\$7)) and encod\$4).clm.	US-PGPUB	OR	ON	2008/10/14 10:23
S123	4	((calculated with (difference or residual) with (identif\$7)) and quantiz\$5).clm.	US-PGPUB	OR	ON	2008/10/14 10:24
S124	181	(naoki with kubo). in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 10:27
S125	3	(naoki with kubo). in. and quantiz\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 10:28
S126	5	((calculated or derived) with (difference or residual) with (identif\$7)) and quantiz\$5).clm.	US-PGPUB	OR	ON	2008/10/14 10:31
S127	225	((calculated or derived) with (difference or residual)) and quantiz\$5).clm.	US-PGPUB	OR	ON	2008/10/14 10:31

S128	153	((((calculated or derived) near5 (difference or residual)) and quantiz\$5).clm.	US-PGPUB	OR	ON	2008/10/14 10:31
S129	39	((((calculated or derived) near5 (difference or residual)) and quantiz\$5 and inverse\$2).clm.	US-PGPUB	OR	ON	2008/10/14 10:31
S130	4	((((derived) near5 (difference or residual)) and quantiz\$5 and inverse\$2).clm.	US-PGPUB	OR	ON	2008/10/14 10:32
S131	711	(derived) near5 (difference or residual) and quantiz\$5 and inverse\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 10:33
S132	583	(derived) near5 (difference or residual) and quantiz\$5 and inverse\$2 and bit	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 10:34
S133	5	(derived) near5 (difference or residual) with (idenif\$7 or recogni\$4) and quantiz\$5 and inverse\$2 and bit	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 10:37
S134	5	(derived) near5 (difference or residual) with (idenif\$7 or recogni\$4) and quantiz\$5 and inverse\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 10:38
S135	88	(derived) near5 (difference or residual) with (idenif\$7 or recogni\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 10:38

S136	32330	(difference or residual) with (idenif\$7 or recogni\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 10:38
S137	4088	(difference or residual) with (idenif\$7 or recogni\$4) and inverse\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 10:39
S138	4088	(difference or residual) with (idenif\$7 or recogni\$4) and (inverse\$2 or inverse)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 10:39
S139	4088	(difference or residual) with (idenif\$7 or recogni\$4) and (inverse\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 10:39
S140	756	(difference or residual) with (idenif\$7 or recogni\$4) and (inverse\$2) and quantiz\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 10:39
S141	311	(difference or residual) with (idenif\$7 or recogni\$4) and (inverse\$2) and quantiz\$6 and convert\$4 with image	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 10:40
S142	387	(difference or residual) with (idenif\$7 or recogni\$4) and (inverse\$2) and quantiz\$6 and (convert\$4 or transform\$5) with image	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 10:40

S143	102	(difference or residual) near5 (idenif\$7 or recogni\$4) and (inverse\$2) and quantiz\$6 and (convert\$4 or transform\$5) with image	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 10:40
S144	87	(difference or residual) near4 (idenif\$7 or recogni\$4) and (inverse\$2) and quantiz\$6 and (convert\$4 or transform\$5) with image	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 10:41
S145	0	(difference or residual) near4 (idenif\$7 or recogni\$4) and (inverse\$2) and quantiz\$6 and (convert\$4 or transform\$5) with image and diffrence with inverse\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 10:46
S146	8	(difference or residual) near4 (idenif\$7 or recogni\$4) and (inverse\$2) and quantiz\$6 and (convert\$4 or transform\$5) with image and lossless	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 10:49
S147	65	(difference or residual) near4 (idenif\$7 or recogni\$4) and (inverse\$2) and quantiz\$6 and (convert\$4 or transform\$5) with image and bit	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 10:51

S148	31660	identif\$7 with residue	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 14:35
S149	18165	identif\$7 near4 residue	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 14:35
S150	20	identif\$7 near4 residue with storage	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 14:35
S151	326	identif\$7 near4 residu\$2 and image with residu \$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 14:36
S152	186	identif\$7 near4 residu\$2 and image with residu \$2 and (encod\$4 or compress\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 14:37
S153	28	identif\$7 near4 residu\$2 and image with residu \$2 with difference and (encod\$4 or compress\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 14:39
S154	4	identif\$7 near4 (calculated or derived) and image with residu \$2 with difference and (encod\$4 or compress\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 14:51

S155	4	(identif\$7 or recogniz\$4) near4 (calculated or derived) and image with residu \$2 with difference and (encod\$4 or compress\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 14:52
S156	944	(identif\$7 or recogniz\$4) near4 (calculated or derived) and image with difference and (encod\$4 or compress\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 14:52
S157	56	(identif\$7 or recogniz\$4) near4 (calculated or derived) with difference and image with difference and (encod\$4 or compress\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 14:53
S158	23	(identif\$7 or recogniz\$4) near2 (calculated or derived) with difference and image with difference and (encod\$4 or compress\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 14:53

10/24/08 11:39:37 AM

C:\Documents and Settings\drosariovasquez\ My Documents\ EAST\ Workspaces
\ 09986721\ search3.wsp